

ecology and environment, inc.

111 WEST JACKSON BLVD., CHICAGO. ILLINOIS 60604, TEL. 312-663-9415 International Specialists in the Environment



MEMORANDUM

DATE: April 10, 1990

TO: File

FROM: Nathan W. Russell

SUBJECT: Irathane Systems, Inc./Hibbing, MN/FMN0230SB/F05-8910-012

This memorandum addresses errors made in sample management for samples collected on April 5, 1990 for the Irathane Systems, Inc. site in Hibbing, MN. The errors were as follows: the yellow copies of the two Chain-of-Custody Records were sent to the laboratories instead of being brought back to the Chicago office; on the Organic Traffic Report (OTR) the sampling Co. should be FIT instead of FIL; and on the Inorganic Traffic Report (ITR) the Airbill Number should be 1060853065 instead of 1060853054.

NWR:ja

4833:3

FACILITY/OCCUPANT NAME U. S. EPA ID NO MND022818306 RECEIPT FOR SAMPLES Irathane Systems, Inc. U.S. EPA, 230 S. Dearborn St., Chicago, IL 60604 PROJ. ACCT. NO. MN 02305B FACILITY/OCCUPANT ADDRESS TDD F05-8910-012 PESTICIDES/PCBS SEMIVOL ATILES 3516 13th Ave East ACCEPTED(/) DECLINED(SPLIT SAMPLES Hibbing, MN 55746 VOLATILES CYANIDE MATRIX METALS SPLIT SAMPLES SAMPLE OTR# ITR# DATE TIME DESCRIPTION OF SAMPLE LOCATIONS NUMBER (1 EJY 42 MEJA 30 1010 Soil 501 1025 LJY 43 MEJA 31 JY 44 MEJA 32 53 1045 ETY 45 MEJA 33 4/5/20 1105 54 4/5/90 1200 55 DY 46 MEJA 34 501 Nax 4/5/40 56 TRANSFERRED BY RECEIVED BY: -01 4/5/60 12:51 4/5/90 1245 Jed Achrkon (Date) (Time) (Signature) (Date) (Time) (Signature) DISTRIBUTION WHITE: FIT SITE FILE TITLE TELEPHONE YELLOW: FACILITY/OCCUPANT FIT SAMPLE MANAGEMENT GREEN: U.S. EPA PINK:

NWR 4/5/90

Leathane Systems Inc. / Russell # 13822

O fellow lopies of Chain of Custody's were sent to lab. They should have been brought black.

2 On OTR, Sampling Co. Should be FIT.

3) ITR, airbell # doesn't match what was called in, or what is on the inorganic C.O.C.

Dall Sample Paperwork is due Monday Defore noon! This is your responsibility.

Please Submit a typewritten memo for #5 1,2, 83

Thanks, Cathy